

**KNAPHEIDE**  
SINCE 1848



**FORESTRY BODIES**

# KNAPHEIDE FORESTRY BODIES



## FORESTRY BODIES

The Knapheide Forestry Body is America's premier chipper body packed with industry-leading features to help you get the job done.

When looking for your next forestry body, choose Knapheide, the most trusted name in the industry.



## FORESTRY BODY

Engineered and built for ground or aerial applications, all Knapheide Forestry Bodies are fully immersed in our exclusive electrodeposition prime paint system for superior corrosion resistance. Smooth side panels allow for maximum-sized company graphics to easily be applied. All Knapheide Forestry Bodies feature LED lighting for longevity and low maintenance.

## POPULAR VOCATIONS



LANDSCAPING/  
TREE CARE

**A. 14-GAUGE GALVANNEAL SMOOTH PANELS**  
are excellent for advertising graphics

**B. 14-GAUGE GALVANNEAL ROOF PANEL**  
reinforced with integrated formed hat sections

**C. PUNCHED VENTS**  
in upper side panels

**D. LADDER BOX**  
with full length pole pruner shelf  
and lockable access door on  
curbside

**E. 24" TALL, 16-GAUGE GALVANNEAL, DOUBLE-PANEL TAILGATE**  
swings open 270 degrees and latches  
in the open position

**F. RECESSED LED LIGHTS**  
to meet DOT standards

**G. STROBE LIGHTS**  
on front and rear of body



*Note: Body may be shown with optional equipment*

FEATURES NOT SHOWN

**ELECTRODEPOSITION PRIME-PAINT SYSTEM**  
provides superior corrosion  
resistance

**BODIES ARE FULLY PROTECTED WITH KNAPHEIDE'S WATER-BASED UNDERCOAT**

**FLOOR IS CONSTRUCTED OF 7" STRUCTURAL LONG SILLS, 12-GAUGE FLOOR PLATE AND 3" STRUCTURAL CHANNEL CROSS SILLS**



**REQUEST A QUOTE**



Visit [knapheide.com/quote](https://knapheide.com/quote) and fill out the form to receive a quote and additional product information.

# MODEL OPTIONS

## FORESTRY BODIES

MODEL	BODY LENGTH	STYLE	MINIMUM RECOMMENDED CHASSIS GVWR	TOTAL CAPACITY	USABLE CAPACITY	EXTERIOR LENGTH	INTERIOR HEIGHT	NET WEIGHT
KFBN-1166	11'	Notched	19,500 lb.	15 yd.	13 yd.	135"	66"	2,137 lb.
KFBN-1266	12'	Notched	19,500 lb.	17 yd.	15 yd.	147"	66"	2,313 lb.
KFBS-1266	12'	Straight	19,500 lb.	18 yd.	16 yd.	147"	66"	2,454 lb.
KFBN-1472	14'	Notched	19,500 lb.	21 yd.	19 yd.	171"	72"	2,804 lb.
KFBS-1472	14'	Straight	19,500 lb.	22 yd.	20 yd.	171"	72"	2,959 lb.

\*Notched bodies include a 24" cutout for storage pack



## POPULAR OPTIONS

---



**COAL TAR INTERIOR**



**CONE HOLDER**



**FORESTRY CHOCK HOLDERS**

**NOT PICTURED:**  
- Rear Barn Doors  
- Hitch



## REQUEST A QUOTE



Visit [knapheide.com/quote](https://knapheide.com/quote) and fill out the form to receive a quote and additional product information.



## COMPATIBLE HOISTS

MODEL	MINIMUM HOIST MODEL	CAPACITY	PUMP DRIVE
KFBN-1166	KHA-1516SF-ED	8.6 tons	Elec/DA
KFBN-1266	KHA-1516SF-ED	8.6 tons	Elec/DA
KFBS-1266	KHA-1520SF-ED	8.6 tons	Elec/DA



## POPULAR OPTIONS

### FORESTRY BODY STORAGE PACK

- One full width shelf is 54" long, centered side to side
- Three combination stationary/swivel hooks are mounted in the curbside compartment
- Recessed hinges create a pry resistant compartment
- Electrodeposition prime-paint system provides superior corrosion resistance
- L-Pack lower compartment has no interior wall for full width utilization between both compartments
- All packs include 3 point T-Handles and master lock system to ensure equipment is safely stowed away





## REQUEST A QUOTE



Visit [knapheide.com/quote](https://knapheide.com/quote) and fill out the form to receive a quote and additional product information.

## STORAGE PACKS

MODEL	STYLE	PACK LENGTH	PACK WIDTH	HEIGHT	UNDERBODY BOX DEPTH	UNDERBODY BOX WIDTH	UNDERBODY BOX HEIGHT	WEIGHT
KPF-944850	L-Pack	94"	48"	50"	20"	24"	24"	598 lb.
KPF-945450	L-Pack	94"	54"	50"	20"	30"	24"	610 lb.
KPF-946050	L-Pack	94"	60"	50"	20"	36"	24"	636 lb.
KPFI-24	I-Pack	94"	24"	50"	N/A	N/A	N/A	455 lb.

# COMMITMENT TO **CORROSION RESISTANCE**

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US  
LIKE US  
TAG US





# SIX YEAR, LIMITED TIME WARRANTY



**NO RUST  
THROUGH**



**DOOR HINGES  
WILL NOT FAIL OR  
COME OFF BODY**



**LATCHES AND LOCK  
CYLINDERS WILL NOT  
FAIL TO OPERATE**



**SHELVES WILL NOT  
BEND UNDER MAX.  
LOAD OF 250 LBS.**

TO LEARN MORE VISIT  
[www.knapheide.com/warranty](http://www.knapheide.com/warranty)



## NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

**KNAPHEIDE. NEVER SETTLE.**



The Knapheide Manufacturing Company  
1848 Westphalia Strasse | Quincy, IL 62305  
217-222-7131  
[www.knapheide.com](http://www.knapheide.com)