

KNAPHEIDE
SINCE 1848



FORD
DUMP BODIES

KNAPHEIDE DUMP BODIES



DUMP BODIES

The Knapheide Dump Body is where style, versatility and durability come together. When landscape or general contractors need a productive dump body that will last a lifetime, they choose the Knapheide Dump Body every time.

Our Dump Bodies are available in 9'6" to 11'6" lengths and side heights of 12" or 16" to accommodate 2-1/2 to 4 cubic yard carrying capacity. Models have crossmemberless understructure and offer fixed or drop sides.

Select from a variety of options to make your Dump Body a perfect fit.



SUBFRAME HOIST

ED models are powered by a 12-volt pump with a pendant switch control

Double acting hoist provides power up and down

POPULAR VOCATIONS




CONSTRUCTION



AGRICULTURE



LANDSCAPING/
TREE CARE



MUNICIPALITIES/
UTILITIES

- A. SELF-CLEANING SLOPED TOP RAILS AND LOWER RAILS**
on sides and tailgate
- B. SIDES ARE CONSTRUCTED OF 12-GAUGE HIGH TENSILE STEEL**
- C. 2X6 SIDE BOARD POCKETS**
on the sides at the front and rear allow for increased load capacity
- D. VERSATILE, DOUBLE ACTING TAILGATE**
accommodates both drop-down, pick-up style and spreader applications



CROSSMEMBERLESS UNDERSTRUCTURE

- E. QUICK RELEASE, ONE-HANDED LEVER**
for easy drop-down action on the tailgate
- F. TOE SAVER BRACKETS**
located on both sides of the end rail for operator safety
- G. REAR CORNER POSTS**
equipped with a hook on each side for an optional tarp
- H. QUARTER CAB PROTECTOR**
constructed of 10-gauge high tensile steel with a punched window for visibility



REQUEST A QUOTE



Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.

MODEL OPTIONS

DUMP BODIES

| MODEL | SIDES | CHASSIS CLASS 3-5 | UNDERSTRUCTURE STYLE | CAPACITY | LENGTH | SIDE HEIGHT | NET WEIGHT | HOIST MODEL | HOIST CAPACITY |
|-----------|-------|-------------------|----------------------|----------|--------|-------------|------------|-------------|----------------|
| KDBF912 | Fixed | 60 CA | Crossmemberless | 2.5 yd. | 9'6" | 12" | 1,472 lb. | KHA-1516SF | 8.7 tons |
| KDBF916 | Fixed | 60 CA | Crossmemberless | 3.29 yd. | 9'6" | 16" | 1,553 lb. | KHA-1516SF | 8.7 tons |
| KDBF1112 | Fixed | 84 CA | Crossmemberless | 3 yd. | 11'6" | 12" | 1,707 lb. | KHA-1520SF | 8.6 tons |
| KDBF1116 | Fixed | 84 CA | Crossmemberless | 4 yd. | 11'6" | 16" | 1,798 lb. | KHA-1520SF | 8.6 tons |
| KDBDS912 | Drop | 60 CA | Crossmemberless | 2.5 yd. | 9'6" | 12" | 1,455 lb. | KHA-1516SF | 8.7 tons |
| KDBDS916 | Drop | 60 CA | Crossmemberless | 3.29 yd. | 9'6" | 16" | 1,523 lb. | KHA-1516SF | 8.7 tons |
| KDBDS1112 | Drop | 84 CA | Crossmemberless | 3 yd. | 11'6" | 12" | 1,673 lb. | KHA-1520SF | 8.6 tons |
| KDBDS1116 | Drop | 84 CA | Crossmemberless | 4 yd. | 11'6" | 16" | 1,746 lb. | KHA-1520SF | 8.6 tons |

FEATURES NOT SHOWN

BODIES ARE FULLY PROTECTED WITH KNAPEHIDE'S WATER-BASED UNDERCOAT

DOUBLE PANEL TAILGATE
construction with 12-gauge HY50 outer panel and 10-gauge HY50 inner panel

ELECTRODEPOSITION PRIME-PAINT SYSTEM
provides superior corrosion resistance

DURABLE FLOOR PLATE
constructed of two pieces of 7-gauge HRCQ with a full seam weld down the center.

BODIES ARE CROSSMEMBERLESS AND FEATURE FULLY BOXED LONG SILLS
constructed of 7-gauge HRCQ steel and run the entire length of the floor



REQUEST A QUOTE



Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.

POPULAR OPTIONS



FRONT
STROBE
LIGHTS



TARP



BODY RAISE
INDICATOR



ICC
BUMPER



CLASS V
RECEIVER
HITCH



METERING
CHUTE



UNDERBODY
TOOLBOX



KNAP PACK



POLY BOARD
EXTENSIONS



KNAPHEIDE
LED TAIL
LIGHTS



REQUEST A QUOTE



Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.

CAB PROTECTORS

| MODEL | STYLE | APPLICATION | HEIGHT | NET WEIGHT |
|--------------|----------------------|----------------|--------|------------|
| KCP-025S19-P | Straight Quarter Cab | 2-4 Yard Dumps | 19" | 147 lb. |
| KCP-025T19-P | Tapered Quarter Cab | 2-4 Yard Dumps | 19" | 130 lb. |
| KCP-100S19-P | Straight Full Cab | 2-4 Yard Dumps | 19" | 228 lb. |

'-P' denotes prime paint; '-B' denotes black finish paint.



**STRAIGHT
QUARTER
CAB
PROTECTOR**



**TAPERED
QUARTER
CAB
PROTECTOR**



**STRAIGHT
FULL CAB
PROTECTOR**

COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US
LIKE US
TAG US



THREE YEAR, LIMITED TIME WARRANTY



NO RUST
THROUGH



FREE FROM
DEFECTS IN
WORKMANSHIP



FREE FROM
DEFECTS IN
MATERIALS

TO LEARN MORE VISIT
www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131

www.knapheide.com